

DAFTAR PUSTAKA

- [1] Check Point Team, “Check Point Research Reports Highest Increase of Global Cyber Attacks seen in last two years – a 30% Increase in Q2 2024 Global Cyber Attacks,” <https://blog.checkpoint.com/research/check-point-research-reports-highest-increase-of-global-cyber-attacks-seen-in-last-two-years-a-30-increase-in-q2-2024-global-cyber-attacks/>.
- [2] Purwono, A. Ma’arif, W. Rahmانيar, H. I. K. Fathurrahman, A. Z. K. Frisky, dan Q. M. U. Haq, “Understanding of Convolutional Neural Network (CNN): A Review,” *International Journal of Robotics and Control Systems*, vol. 2, no. 4, hlm. 739–748, 2022, doi: 10.31763/ijrcs.v2i4.888.
- [3] M. A. Abdurrazzaq, “Sneakers scoring using image regression with transfer learning,” *AIP Conf Proc*, vol. 2987, no. 1, hlm. 020028, Apr 2024, doi: 10.1063/5.0199373.
- [4] C. Reinders dan B. Rosenhahn, “Neural Random Forest Imitation,” Apr 2024, doi: 10.1007/978-3-031-35374-1_5.
- [5] H. Liu dan H. Wang, “Real-Time Anomaly Detection of Network Traffic Based on CNN,” *Symmetry (Basel)*, vol. 15, no. 6, Jun 2023, doi: 10.3390/sym15061205.
- [6] A. Oyetoro, J. Mart, dan U. Amah, “Using Machine Learning Techniques Random Forest and Neural Network to Detect Cyber Attacks ,” 10 April 2023. doi: 10.14293/PR2199.000059.v1.
- [7] L. Ashiku dan C. Dagli, “Network Intrusion Detection System using Deep Learning,” dalam *Procedia Computer Science*, Elsevier B.V., 2021, hlm. 239–247. doi: 10.1016/j.procs.2021.05.025.
- [8] L. Goel dan J. Nagpal, “A Hybrid Convolutional Neural Network–Random Forest Model for Plant Disease Diagnosis,” dalam *Smart Innovation, Systems and Technologies*, Springer Science and Business Media Deutschland GmbH, 2023, hlm. 509–517. doi: 10.1007/978-981-19-7447-2_45.

- [9] A. Elmasry dan W. Abdullah, "A CNN-RF Hybrid Model for Intrusion Detection System: Analysis, Improvements, and Application," *Artificial Intelligence in Cybersecurity*, vol. 1, hlm. 12–20, Jan 2024, doi: 10.61356/j.aics.2024.1212.
- [10] I. H. Sarker, "Machine Learning: Algorithms, Real-World Applications and Research Directions," 1 Mei 2021, *Springer*. doi: 10.1007/s42979-021-00592-x.
- [11] I. H. Sarker, "Deep Learning: A Comprehensive Overview on Techniques, Taxonomy, Applications and Research Directions," 1 November 2021, *Springer*. doi: 10.1007/s42979-021-00815-1.
- [12] I. Jamaled dyn, "Architecture of the CNN algorithm," https://www.researchgate.net/figure/Architecture-of-the-CNN-algorithm_fig1_372595960.
- [13] M. Ramchandani dkk., "Survey: Tensorflow in Machine Learning," dalam *Journal of Physics: Conference Series*, Institute of Physics, 2022. doi: 10.1088/1742-6596/2273/1/012008.
- [14] A. B. Abdikamalov, "Python scripting and scientific computing," 2021.
- [15] V. Cutting dan N. Stephen, "A Review on using Python as a Preferred Programming Language for Beginners," *International Research Journal of Engineering and Technology*, 2021, [Daring]. Tersedia pada: <https://www.researchgate.net/publication/359379004>
- [16] B. T. Chicho dan A. B. Sallow, "A Comprehensive Survey of Deep Learning Models Based on Keras Framework," *Journal of Soft Computing and Data Mining*, vol. 2, no. 2, hlm. 49–62, Okt 2021, doi: 10.30880/jscdm.2021.02.02.005.
- [17] J. Sundaram dkk., "An exploration of python libraries in machine learning models for data science," dalam *Advanced Interdisciplinary Applications of Machine Learning Python Libraries for Data Science*, IGI Global, 2023, hlm. 1–31. doi: 10.4018/978-1-6684-8696-2.ch001.
- [18] B. Acharya dan K. Sahu, "Software Development Life Cycle Models: A Review Paper," *International Journal of Advanced Research in Engineering*

- and Technology*, vol. 11, no. 12, hlm. 169–176, 2020, doi: 10.34218/IJARET.11.12.2020.019.
- [19] L. Bennet, “Incremental Model in SDLC: Use, Advantage & Disadvantage,” <https://www.guru99.com/what-is-incremental-model-in-sdlc-advantages-disadvantages.html>.
- [20] University of New Brunswick, “CSE-CIC-IDS2018,” <https://www.unb.ca/cic/datasets/ids-2018.html>.
- [21] N. Sourbier, “Learning-Based Network Intrusion Detection : an Imbalanced, Constantly Evolving and Timely Problem.” [Daring]. Tersedia pada: <https://theses.hal.science/tel-04522156v1>
- [22] K. Kurniabudi, D. Stiawan, Darmawijoyo, M. Y. Bin Idris, B. Kerim, dan R. Budiarto, “Important features of CICIDS-2017 dataset for anomaly detection in high dimension and imbalanced class dataset,” *Indonesian Journal of Electrical Engineering and Informatics*, vol. 9, no. 2, hlm. 498–511, Jun 2021, doi: 10.52549/ijeei.v9i2.3028.